RÉPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188
gathering and maintaining the data needs collection of information, including surge	led, and completing and reviewing the collection (of information. Send comment regarding	wing instructions, searching existing data sources, this burden estimates or any other aspect of this nformation Operations and Reports, 1215 Jefferson ect (0704-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blan		3. REPORT TYPE	AND DATES COVERED , 1 Jan 93 - 31 Mar 96
4. TITLE AND SUBTITLE		i i i i i i i i i i i i i i i i i i i	5. FUNDING NUMBERS
	c solids to heat and s	shock pulses"	DAAH04-93-G-0016
6. AUTHOR(S)			
Dana D. Dlott		•	
7. PERFORMING ORGANIZATION University of Illino Box 37- 1, Noyes Lab 505 S. Mathews Ave. Urbana, IL 61801)		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER
U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			ARO 30719.29-CH
11. SUPPLEMENTARY NOTES			
an official Department of t	the Army position, policy or o	eport are those of the aut decision, unless so desig	thor(s) and should not be construed as mated by other documentation.
12a. DISTRIBUTION / AVAILABILIT	TY STATEMENT		12 b. DISTRIBUTION CODE
Approved for public release; distribution unlimited.			19960521 03
13. ABSTRACT (Maximum 200 work	ds)		10000
material by a shock wave, laser systems in our labora in energetic materials. It molecules during the shock is necessary in addition to small, sub-optical wavelet obtained data on technology obtained in our laser shock present state of the art, when ment, we have used pick nitromethane. These expenses	to develop a detailed under tory, we have developed to We have developed new to the process. In order to obtate to having a laser which repeting the energetic material straight energetic est experiments has time repaired to understand cosecond mid-infrared pure	erstanding of how inition behalves to reproducible techniques to probe to the transfer and dissert and	nts in initiation of an energetic lation occurs. Using advanced bly generate microshock waves the behavior of materials and the resolution of picoseconds, it is pulse, to engineer extremely exceeded in doing this and have DX, PETN and NTO. The data are of magnitude faster than the litiation. In a parallel developmolecular energy transfer in sipation of excess energy, such
14. SUBJECT TERMS			15. NUMBER IF PAGES
energetic material, shock waves, shock initiation, molecular energy transfer, vibrational spectroscopy, ultrafast			16. PRICE CODE
spectros copy			
17. SECURITY CLASSIFICATION OR REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFIC OF ABSTRACT	CATION 20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIE	р I п.

NSN 7540-01-280-5500

DTIC QUALITY INSPECTED 1

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. 239-18

Final progress report

"Response of energetic solids to heat and shock pulses"

30719-CH, DAAH04-93-G-0016

Author: Dana D. Dlott

Statement of the problem and progress to date:

The problem is to develop experimental methods for studying the very first events in the initiation of an energetic material by a shock wave, in order to develop a detailed understanding of how initiation occurs. Understanding initiation could be expected to lead to safer energetic materials which are insensitive to accidents, and to the design of safer and better materials using a bottom-up engineering approach. Furthermore, the tools developed to research energetic material initiation can be extended to a variety of other practical problems involving materials under extreme conditions and shock waves. A specific secondary application where our ARO funded work has resulted in successful technology transfer to US industry is the problem of using lasers to produce high resolution color images with ultra high speed.

There are tremendous obstacles to these experimental measurements. Shock initiation combines some of the most difficult problems in mechanical engineering with some extremely complicated chemistry. The very first events in initiation occur on a very short time scale, at the level of individual molecules, or small groups of molecules. Until our work, no experimental methods existed which could make such measurements

Using advanced laser systems constructed in our laboratory, we have developed methods to reproducibly generate microshock waves in energetic materials. The intensity of these shocks are of the typical order needed to initiate, namely a few tens of kilobars. In contrast to conventional techniques which require large guns or explosives and hazardous conditions, and which can be repeated infrequently (typically every few days), with our microshock technique we can generate several hundred shock waves per second, in volumes containing just a few ng of explosive. This technique of high repetition-rate microshock generation is the basis for the high resolution imaging methods mentioned above.

In addition to generating the shock waves, we have developed new methods to probe the behavior of materials and molecules during the shock process. Our lasers deliver optical pulses which last for picoseconds or femtoseconds, but until our work, nobody had succeeded in using similar lasers to obtain time-resolution better than even several nanoseconds. This is because shock waves in materials travel at velocities of a few µm/ns, so even the shortest optical pulses will not resolve shock-induced effects in materials unless a method can be found to obtain high spatial resolution. Spatial resolution of perhaps 1/10 of a µm is desired to study processes occurring in a few tens of ps. This resolution is quite a bit less than the wavelengths of lasers used in this research, so new ideas were needed. The important new idea which solves these

problems is to engineer into our samples molecular structures which were smaller than a wavelength of light. These take the form of very fine particles, or very thin layers. We have succeeded in obtaining time and space resolution several orders of magnitude better than any prior measurements using this technique. Preliminary experiments using this method were performed on technologically significant energetic materials TATB, RDX, PETN and NTO.

We also need to obtain information about the molecular-level behavior of energetic materials. The tool we have used is vibrational spectroscopy. Ordinary vibrational spectroscopy. such as IR and Raman cannot provide the necessary time resolution and signal-to-noise, but we have had much success using CARS (Coherent anti-Stokes Raman Spectroscopy). Using CARS we have been able to demonstrate the ability to instantaneously measure the temperature, pressure, and composition of an energetic material subject to an intense shock wave, on the We have also used a novel technique termed "Two-dimensional picosecond time scale. Vibrational Spectroscopy". In this method, we combine a powerful infrared pulse with a Raman probe. The powerful IR pulse deposits energy into a specific vibrational mode of a condensed phase explosive and the Raman probe monitors how the energy flows through the molecules. This experiment provides insight into the molecular energy transfer processes which result when adding excess energy to an energetic material. The intent of these measurements is to better understand the fate of energy deposited by the passage of an initiating shock wave through the explosive. A detailed set of experimental results were obtained on a model homogeneous high explosive, nitromethane. This technique is presently being extended to technologically significant energetic materials.

This three-year research project has had considerable success. The publication list below attests to our productivity--we have published thirty one refereed papers, PhD theses and conference abstracts. More importantly, we have finally succeeded in demonstrating exactly how one goes about investigating the problems of energetic material initiation, using experimental measurements which provide the needed input for a fundamental point of view. It is hoped that continuation of this project will soon lead to a greatly improved understanding of this problem. It was a privilege and an honor to be able to contribute to the Army research mission in this manner. It is also very nice that this work can lead to significant technology transfer from DoD funded programs to US industry to enhance the competitiveness of the US economy.

Publications funded by this grant

- 1. "Chemical Reaction Initiation and Hot Spot Formation in Shocked Energetic Molecular Materials", Andrei Tokmakoff, Michael D. Fayer, and Dana D. Dlott, J. Phys. Chem., 97, pp. 1902-1913 (1993).
- 2. "Shocked Energetic Molecular Materials: Chemical Reaction Initiation and Hot Spot Formation", M. D. Fayer, Andrei. Tokmakoff and Dana D. Dlott, in *Structure and Properties of Energetic Materials*, D. H. Liebenberg, R. W. Armstrong and J. J. Gilman, Eds., Materials Research Society, vol. 296, pp. 379-384 (1993).

- 3. "High Speed Color Imaging Using Laser Ablation Transfer Films with a Dynamic Release Layer: Fundamental Mechanisms", William A. Tolbert, I-Yin Sandy Lee, Dana D. Dlott, Mark M. Doxtader, and Ernest W. Ellis, J. Imag. Sci. Technol., 37, pp. 411-421 (1993).
- 4. "Ultrafast Temperature Jump in Polymers: Phonons and Vibrations Heat Up at Different Rates", Xiaoning Wen, William A. Tolbert and Dana D. Dlott, J. Chem. Phys. 99, pp. 4140-4151 (1993).
- 5. "Laser Ablation Transfer Using Picosecond Optical Pulses: Ultra High Speed, Low Threshold and High Resolution", William A. Tolbert, I-Yin Sandy Lee, Xiaoning Wen, Mark M. Doxtader, Ernest W. Ellis and Dana D. Dlott, J. Imag. Sci. Technol., 37, pp. 485-489 (1993).
- 6. "Dynamics of Laser Ablation Transfer Imaging Investigated by Ultrafast Microscopy and Ultrafast Spectroscopy", William A. Tolbert, I-Yin Sandy Lee, David E. Hare, Mark M. Doxtader, Ernest W. Ellis, and Dana D. Dlott, in Proceedings of the 46th Annual Meeting of the Society for Imaging Science and Technology (Society for Imaging Science and Technology, Springfield, VA, 1993), pp. 208-210.
- 7. "Ultrafast Spectroscopy of Temperature and Pressure Jump and Shock Waves in Molecular Materials", I-Yin Sandy Lee, Xiaoning Wen and Dana D. Dlott, to appear in, *High-Pressure Science and Technology-1993*, S. C. Schmidt, J. W. Shaner, G. A. Samara and M. Ross, eds., (American Institute of Physics, New York, 1993), pp. 1543-1546.
- 8. (invited paper) "Ultrafast Dynamics of Photothermal Polymer Ablation", William A. Tolbert, I.-Y. Sandy Lee, David E. Hare, Xiaoning Wen and Dana D. Dlott, in Laser Ablation Mechanisms and Applications-II, J. C. Miller and D. B. Geohegan, Eds., AIP Conference Proceedings 288 (New York: AIP, 1994), pp. 559-568.
- 9. "Laser Polymer Ablation Threshold Lowered by Nanometer Hot Spots", Xiaoning Wen, David E. Hare, and Dana D. Dlott, Appl. Phys. Lett., 64, pp. 184-186 (1994).
- 10. "Highly Time- and Space- Resolved Studies of Superfast Image Production using Laser Ablation Transfer", in *Microchemistry. Spectroscopy and Chemistry in Small Domains*, H. Masuhara, et al., eds., (Elsevier, Amsterdam, 1994), pp. 123-135.
- 11. "Picosecond coherent Raman study of solid-state chemical reactions during laser polymer ablation", David E. Hare and Dana D. Dlott, Appl. Phys. Lett., 64, pp. 715-717 (1994).
- 12. "Direct measurement of ultrafast multiphonon up pumping in high explosives", Sheah Chen, William A. Tolbert and Dana D. Dlott, J. Phys. Chem. 98, pp. 7759-7766 (1994).
- 13. "Ultrafast microscopy of shock waves using a shock target array with an optical nanogauge", I-Yin Sandy Lee, Jeffrey R. Hill and Dana D. Dlott, J. Appl. Phys. 75, pp. 4975-4983 (1994).

- 14. "Molecular energy transfer in condensed matter studied by ultrafast vibrational spectroscopy", Jeffrey R. Hill, Sheah Chen, Dana D. Dlott, A. Tokmakoff, B. Sauter, D. Zimdars and M. D. Fayer, Proc. SPIE-Int. Soc. Opt. Eng. 2138, (LONGER WAVELENGTH LASERS AND APPLICATIONS), pp. 75-84 (1994).
- 15. "Dynamics of a polymer shock optical microgauge studied by picosecond coherent Raman spectroscopy", David E. Hare, Jens Franken, Dana D. Dlott, Eric L. Chronister and James Flores, App. Phys. Lett. 65, pp. 3051-3053 (1994).
- 16. "Ultrafast energy transfer in high explosives: vibrational cooling", Sheah Chen, Xiaoyu Hong, Jeffrey R. Hill and Dana D. Dlott, J. Phys. Chem. 99, pp. 4525-4530 (1995).
- 17. "Fundamental mechanisms of laser ablation transfer imaging", David E. Hare, Jens Franken, and Dana D. Dlott, in *Advances in Non-Impact Printing Technologies* (Society for Imaging Science and Technology, Springfield, VA, 1994) pp. 314-316.
- 18. "Coherent Raman measurements of polymer thin film pressure and temperature during picosecond laser ablation". David E. Hare, Jens Franken and Dana D. Dlott, J. Appl. Phys. 77, pp. 5950-5960 (1995).
- 19. "Picosecond dynamics behind the shock front, Dana D. Dlott, J. Phys. C4, p. 337-343 (1995).
- 20. "Molecular Dynamics Simulations of Vibrational Heating and Cooling in Isotopically Substituted Molecular Clusters", Hackjin Kim, Dana D. Dlott and Youngdo Won, J. Chem. Phys. 102, pp. 5480-5485 (1995).
- 21. "Ultrafast mode-specific intermolecular vibrational energy transfer to liquid nitromethane", Xiaoyu Hong, Sheah Chen, and Dana D. Dlott, J. Phys. Chem. 99, pp. 9102-9109 (1995).
- 22. "Molecular dynamics observed 60 picoseconds behind a solid-state shock front", I-Yin Sandy Lee, Jeffrey R. Hill, Honoh Suzuki, Bruce J. Baer and Eric L. Chronister, and Dana D. Dlott, J. Chem. Phys 103, pp. 8313-8321 (1995).
- 23. "A new method for studying picosecond dynamics of shocked solids: application to crystalline energetic materials", David E. Hare, Jens Franken and Dana D. Dlott, Chem. Phys. Lett, 244, pp. 224-230 (1995).
- 24. "Time-resolved Two-dimensional Vibrational Spectroscopy and its Application to High Explosives", Xiaoyu Hong and Dana D. Dlott, in *Time-resolved Vibrational Spectroscopy VII* (in press).
- 25. "Picosecond time-resolved coherent Raman temperature-pressure jump spectroscopy", David E. Hare, Jens Franken and Dana D. Dlott, in *Time-resolved Vibrational Spectroscopy VII* (in press).

- 26. "Ultrafast spectroscopy of the first nanosecond", I-Yin Sandy Lee, David E. Hare, Jeffrey R. Hill, Jens Franken, Honoh Suzuki, Dana D. Dlott, Bruce J. Baer and Eric L. Chronister, in Shock Compression of Condensed Matter--1995, Stephen Schmidt et al., eds. (American Institute of Physics, New York, 1995), (in press).
- 27. "Ultrafast Dynamics of Shock Waves and Shocked Energetic Materials", David E. Hare, I-Y. Sandy Lee, Jeffrey R. Hill, Jens Franken, Honoh Suzuki, Bruce J. Baer, Eric L. Chronister and Dana D. Dlott, Proc. Mat. Res. Symp. (1996, in press).
- 28. Vibrational Energy Transfer in High Explosives: Nitromethane, Xiaoyu Hong, Jeffrey R. Hill and Dana D. Dlott, Proc. Mat. Res. Symp. (1996, in press).
- 29. Xiaoning Wen, "Ultrafast temperature jump study of energy transfer in dye doped polymer films", PhD Thesis, 1993, University of Illinois.
- 30. Sheah Chen, "Vibrational energy transfer in condensed high explosives: nitromethane." PhD Thesis, 1994, University of Illinois.
- 31. Sandy Lee, "The study of ultrafast dynamics behind a solid-state shock front using optical nanogauges", PhD Thesis, 1995, University of Illinois.

Scientific personnel funded by this grant:

Dana D. Dlott, PhD, principal investigator.

Xiaoyu Hong, PhD, postdoctoral associate. Hong will be leaving in Feb. to take a research staff position at SDL, Inc.

Sheah Chen, research assistant, received his PhD in 1994. He is now a postdoctoral associate at the Institute for Atomic and Molecular Sciences in Taiwan.

Barbara Snider, BA, research assistant, left the group in 1995 to obtain an MS degree.

Edward Wen, received his PhD in 1993. He is now a postdoc at Northwestern.

William A. Tolbert, PhD, left to take a staff position at 3M Corporation.

Sandy Lee received her PhD in 1995 and left to take a postdoctoral position at Caltech JPL.

Larry Iwaki, B.A., is working on energetic materials and molecular energy transfer at UI.